#### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025



Page 1 of 17 Print Date 02/08/2025

# SAFETY DATA SHEET

#### CORE™ DB3112 Blue

Section 1. Identification	)n	
CHC meduat identifian		CORE <sup>™</sup> DB3112 Blue
GHS product identifier	:	
Chemical name	:	Mixture
CAS number	:	Mixture
Other means of identification	:	FO20001016
Product type	:	liquid
		-
Relevant identified uses of the subst	tance	or mixture and uses advised against
Product use	:	Industrial applications. Plastics.
Supplier's details	:	AVIENT CORPORATION
		33587 Walker Road, Avon Lake, OH 44012
		1 (440) 930-1000 or 1 (844) 4AVIENT
Emergency telephone number	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or
(with hours of operation)		accident).
		<i>`</i>

## Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. Information provided on health effects of this product is based on the individual components. However, some vapors or contaminants may be released upon heating and the end-user (fabricator) must take the necessary precautions (mechanical ventilation, respiratory protection, etc.) to protect employees from exposure. See sections 8 and 11 for special precautions. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	EYE IRRITATION - Category 2B CARCINOGENICITY - Category 2

#### **GHS label elements**

## CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

# **ÀVIENT**

Page 2 of 17 Print Date 02/08/2025

Hazard pictograms	:	
Signal word Hazard statements	:	Warning Causes eye irritation. Suspected of causing cancer.
Precautionary statements		
Prevention	:	Not applicable. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Wash thoroughly after handling.
Response	:	IF exposed or concerned: Get medical advice or attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice or attention.
Storage	:	Store locked up.
Disposal	:	Dispose of contents and container in accordance with all local, regional, national and international regulations.
Supplemental label elements	:	None known.
Hazards not otherwise classified	:	None known. Not available.

## Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20001016

#### CAS number/other identifiers

Ingredient name	%	CAS number
Di(2-ethylhexyl)phthalate	>= 25 - <= 50	117-81-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

#### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025



Page 3 of 17 Print Date 02/08/2025

Occupational exposure limits, if available, are listed in Section 8.

## **Section 4. First aid measures**

#### Description of necessary first aid measures

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Continue to rinse for at least 10 minutes. Get medical attention. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

#### Most important symptoms/effects, acute and delayed

Potential acute health effects		
Eye contact Inhalation Skin contact Ingestion	::	Causes eye irritation. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Over-exposure signs/symptoms		
Eye contact	:	Adverse symptoms may include the following: irritation watering

# **ÀVIENT**

suitable training. It may be dangerous to the person providing aid to

## CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025 Page 4 of 17 Print Date 02/08/2025

		redness
Inhalation	:	No specific data.
Skin contact	:	No specific data.
Ingestion	:	No specific data.
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Notes to physician Specific treatments	:	

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> . None known.
Specific hazards arising from the chemical Hazardous thermal decomposition products	:	In a fire or if heated, a pressure increase will occur and the container may burst. May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters Special protective equipment for fire-fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated
0		in positive pressure mode.

give mouth-to-mouth resuscitation.

## Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and



### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

#### Page 5 of 17 Print Date 02/08/2025

For emergency responders	:	unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for containment and cleaning up			
Small spill	:	Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	:	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.	

# Section 7. Handling and storage

#### Precautions for safe handling

Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational	:	Eating, drinking and smoking should be prohibited in areas where this

### CORE<sup>™</sup> DB3112 Blue

Version Revisior

# **ÀVIENT**

n Number 1.3	Page 6 of 17
on Date 02/06/2025	Print Date 02/08/2025

hygiene		material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store in a well-ventilated place. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **Occupational exposure limits**

Ingredient name	Exposure limits
Di(2-ethylhexyl)phthalate	OSHA PEL 1989 (1989-03-01) TWA 5 mg/m3 STEL 10 mg/m3 OSHA PEL (1993-06-30) TWA 5 mg/m3 NIOSH REL (1994-06-01) TWA 5 mg/m3 STEL 10 mg/m3 ACGIH TLV (1999-03-01) TWA 5 mg/m3

Appropriate engineering controls	:	If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

#### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

# **ÀVIENT**

Page 7 of 17
Print Date 02/08/2025

Individual protection measures		
Hygiene measures Eye/face protection	<ul> <li>Wash hands, forearms and face thoroughly after handlir products, before eating, smoking and using the lavatory of the working period. Appropriate techniques should b remove potentially contaminated clothing. Wash contam clothing before reusing. Ensure that eyewash stations ar showers are close to the workstation location.</li> <li>Safety eyewear complying with an approved standard sl when a risk assessment indicates this is necessary to avoil liquid splashes, mists, gases or dusts. If contact is possil following protection should be worn, unless the assessment bicker deprese of protection; and the matches assessing the second standard second standard second second</li></ul>	and at the end e used to ninated nd safety hould be used bid exposure to ble, the
Skin protection	higher degree of protection: chemical splash goggles.	
<u>Skii protection</u>		
Hand protection	: Chemical-resistant, impervious gloves complying with a standard should be worn at all times when handling che if a risk assessment indicates this is necessary. Consider parameters specified by the glove manufacturer, check of the gloves are still retaining their protective properties. noted that the time to breakthrough for any glove mater different for different glove manufacturers. In the case of consisting of several substances, the protection time of the cannot be accurately estimated.	mical products ing the during use that It should be ial may be of mixtures,
Body protection	: Personal protective equipment for the body should be see on the task being performed and the risks involved and approved by a specialist before handling this product.	
Other skin protection	: Appropriate footwear and any additional skin protection should be selected based on the task being performed ar involved and should be approved by a specialist before product.	nd the risks
Respiratory protection	: Based on the hazard and potential for exposure, select a meets the appropriate standard or certification. Respirat used according to a respiratory protection program to er fitting, training, and other important aspects of use.	ors must be

## Section 9. Physical and chemical properties

#### Appearance

Physical state	:	liquid [liquid]
Color	:	BLUE
Odor	:	Not available.
Odor threshold	:	Not available.
рН	:	Not available.

## CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

# **ÀVIENT**

Page 8 of 17 Print Date 02/08/2025

Melting point	:	Not available.
Boiling point	:	Not available.
Flash point	:	Not available.
Burning time	:	Not available.
Burning rate	:	Not available.
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive	:	Lower: Not available.
(flammable) limits		Upper: Not available.
Vapor pressure	:	Not available.
Vapor density	:	Not available.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n-	:	Not applicable.
octanol/water		
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
SADT	:	Not available.
Viscosity	:	Dynamic: Not available.
		Kinematic: Not available.
Aerosol product		
Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		
Flame height	:	Not available.
Flame duration	:	Not available.

## Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Keep away from extreme heat and oxidizing agents.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing.
Hazardous decomposition	:	Under normal conditions of storage and use, hazardous decomposition
		0/47

### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025



Page 9 of 17 Print Date 02/08/2025

products

products should not be produced.

## Section 11. Toxicological information

#### Information on toxicological effects

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
1,2-Benzenedicarboxylic acid, 1	,2-bis(2-ethylhexyl)	ester		
	LD50 Oral	Rat	30,000 mg/kg	-
	LD50 Dermal	Rabbit	25,000 mg/kg	-

Conclusion/Summary

: Mixture.Not fully tested.

#### **Irritation/Corrosion**

Product/ingredient name	Result	Species	Score	Exposure	Observation
1,2-Benzenedicarboxylic acid, 1,2-bis(2-ethylhexyl) ester	Eyes - Mild irritant	Rabbit	-	24 hrs	-
	Skin - Mild irritant	Rabbit	-	24 hrs	-
	Eyes - Mild irritant	Rabbit	-		-

Conclusion/Summary Skin Eyes Respiratory	:	Mixture.Not fully Mixture.Not fully Mixture.Not fully	tested.
<b>Sensitization</b>			
Conclusion/Summary Skin Respiratory	:	Mixture.Not fully Mixture.Not fully	
<b>Mutagenicity</b>			
Conclusion/Summary	:	Mixture.Not fully	tested.
<b>Carcinogenicity</b>			
Conclusion/Summary	:	Mixture.Not fully	tested.
<b>Classification</b>			
Product/ingredient name	OSHA	IARC	NTP

#### CORE<sup>™</sup> DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

# **ÀVIENT**

#### Page 10 of 17 Print Date 02/08/2025

1,2-Benzenedicarboxylic	-	2B	Reas	sonably anticipated to be a human carcinogen.
acid, 1,2-bis(2-ethylhexyl)				
ester				
ester				
<b>Reproductive toxicity</b>				
<b>Conclusion/Summary</b>	:	Mixture.N	lot fully tested.	
<b>Teratogenicity</b>				
<u>.</u>				
Conclusion/Summary	:	Mixture N	lot fully tested.	
Conclusion/Summary	•	WIIXture.1	tot fully tested.	
Specific target organ toxicity (	single expo	<u>osure)</u>		
Not available.				
Specific target organ toxicity (	repeated e	xposure)		
Not available.				
Agnination hazand				
<u>Aspiration hazard</u> Not available.				
Not available.				
Information on the likely route	es of 🛛 :	Not availa	ble.	
exposure				
1				
Potential acute health effects				
i otential acute neutri encets				
Eve contect		Courses ou	airritation	
Eye contact	•		e irritation.	N
Inhalation	:			ects or critical hazards.
Skin contact	:			fects or critical hazards.
Ingestion	:	No knowr	significant eff	fects or critical hazards.
-			•	
Symptoms related to the physi	cal, chemi	cal and tox	icological char	acteristics
			corogrour chur	
Eye contact		Advorso s	umptome movi	include the following: irritation, watering,
Lye contact	:		ymptoms may i	include the following. Inflation, watering,
		redness	•	
Inhalation	:	No specifi		
Skin contact	:	: No specific data.		
Ingestion	:	No specifi	c data.	
8		1		
Delayed and immediate effects	and also	hronic offe	ets from short	and long term exposure
Delayeu anu miniculate effects	anu aisu (			
<u>Short term exposure</u>				
Potential immediate effects	:	Not availa	ble.	
Potential delayed effects	:	Not availa	ble.	
<b>,</b>				
-				
Long term exposure				

### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

# AVIENT

Page 11 of 17 Print Date 02/08/2025

Potential immediate effects Potential delayed effects	:	Not available. Not available.
Potential chronic health effects		
Conclusion/Summary	:	Mixture.Not fully tested.
General Carcinogenicity	:	No known significant effects or critical hazards. Suspected of causing cancer. Risk of cancer depends on duration and level of exposure.
Mutagenicity Teratogenicity Developmental effects Fertility effects	:	No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards. No known significant effects or critical hazards.
Numerical measures of toxicity		
<u>Acute toxicity estimates</u> N/A		
Other information	:	This mixture has not been evaluated as a whole for health effects. Exposure effects listed are based on existing health data for the individual components which comprise the mixture.

## Section 12. Ecological information

#### **Toxicity**

Product/ingredient name	Result	Species	Exposure
1,2-Benzenedicarboxylic acid, 1	1,2-bis(2-ethylhexyl) ester		
	Acute LC50 37.95 Mg/l Fresh	Fish - Cyprinus carpio	96 h
	water		
	Acute EC50 0.000133 Mg/l	Daphnia - Daphnia pulex	48 h
	Fresh water		
	Chronic NOEC 0.076 Mg/l	Algae - Hormosira banksii	72 h
	Marine water		
	Chronic NOEC 0.0001 Mg/l	Fish - Poecilia reticulata	28 d
	Fresh water		
	Chronic NOEC 0.109 Mg/l Fresh	Crustaceans - Eurytemora	21 d
	water	affinis	
	Chronic NOEC 0.077 Mg/l Fresh	Daphnia - Daphnia magna	21 d

### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

# **ÀVIENT**

#### Page 12 of 17 Print Date 02/08/2025

	water		
Conclusion/Summary	:	Not available.	
Persistence and degradability			
Conclusion/Summary	:	Not available.	

#### **Bioaccumulative potential**

Product/ingredient name	LogPow	BCF	Potential
1,2-Benzenedicarboxylic acid, 1,2-	7.6	1,380.00	high
bis(2-ethylhexyl) ester			_

#### Mobility in soil

Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

## Section 13. Disposal considerations

requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.
--

#### United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Listed

Ingredient	CAS #	Status	Reference number

#### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

# **ÀVIENT**

Page 13 of 17 Print Date 02/08/2025

Di(2-ethylhexyl)phthalate	117-81-7	Listed	

## Section 14. Transport information

U.S.DOT 49CFR	
Ground/Air/Water	
Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Technical Name:	
Hazard Class / Division	9
UN Number	UN3082
Packing Group	III
Label Required	9
1	

Hazardous Substance	RQ for Mixture/Product
Diethylhexyl phthalate	

International Air	
ICAO/IATA	

Consult mode specific transport rules

International Water IMO/IMDG

Consult mode specific transport rules

## Section 15. Regulatory information

U.S. Federal regulations	<ul> <li>United States - TSCA 12(b) - Chemical export notification: None of the components are listed.</li> <li>United States - TSCA 4(a) - Final Test Rules: Not listed</li> <li>United States - TSCA 4(a) - ITC Priority list: Not listed</li> <li>United States - TSCA 4(a) - Proposed test rules: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 4(f) - Priority risk review: Not listed</li> <li>United States - TSCA 5(a)2 - Final significant new use rules: Not listed</li> <li>United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed</li> <li>United States - TSCA 5(e) - Substances consent order: Not listed</li> <li>United States - TSCA 6 - Final risk management: Not listed</li> <li>United States - TSCA 6 - Proposed risk management: Not listed</li> <li>United States - TSCA 8(a) - Chemical risk rules: Not listed</li> </ul>
	United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Dioxin/Furane precusor: Not listed
	United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not

### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

# **ÀVIENT**

Page 14 of 17 Print Date 02/08/2025

		determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Not listed United States - TSCA 8(c) - Significant adverse reaction (SAR): Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 307 - Priority pollutants: Listed Di(2-ethylhexyl)phthalate Zinc stearate Phthalocyanine Blue Vinyl chloride monomer United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b)	:	Listed
Hazardous Air Pollutants (HAPs)		Not listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II	:	Not listed
Substances DEA List I Chemicals (Precursor Chemicals)	:	Not listed
DEA List II Chemicals (Essential Chemicals)	:	Not listed

#### US. EPA CERCLA Hazardous Substances (40 CFR 302)

:

Chemical Name	CAS-No.	RQ for component
Di(2-ethylhexyl)phthalate	117-81-7	100 lb(s)
		45.4 kg

#### SARA 311/312

Classification

EYE IRRITATION - Category 2B CARCINOGENICITY - Category 2

#### **Composition/information on ingredients**

#### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

#### Page 15 of 17 Print Date 02/08/2025

Name	%	Classification
1,2-Benzenedicarboxylic	>= 25 - <= 50	EYE IRRITATION - Category 2B
acid, 1,2-bis(2-ethylhexyl)		CARCINOGENICITY - Category 2
ester		

#### SARA 313

#### Form R - Reporting requirements

Product name	CAS number	%
Di(2-ethylhexyl)phthalate	117-81-7	>= 15 - < 40

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

State regulations		
Massachusetts	:	The following components are listed:
		Di(2-ethylhexyl)phthalate
New York	:	The following components are listed:
		Di(2-ethylhexyl)phthalate
New Jersey	:	The following components are listed:
		Ethene, chloro-, homopolymer
		Di(2-ethylhexyl)phthalate
Pennsylvania	:	The following components are listed:
-		Di(2-ethylhexyl)phthalate

#### California Prop. 65

**WARNING:** This product can expose you to Di(2-ethylhexyl)phthalate, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Di(2-ethylhexyl)phthalate	Yes.	Yes.

			Ĩ
Australia	:	All components are listed or exempted.	
<u>International regulations</u> <u>Inventory list</u>			
Canada inventory	:	All components are listed or exempted.	
United States inventory (TSCA 8b)	:	All components are active or exempted.	

# **ÄVIENT**

#### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025



Page 16 of 17 Print Date 02/08/2025

Canada	:	All components are listed or exempted.
China	:	All components are listed or exempted.
Eurasian Economic Union	:	Russian Federation inventory: Not determined.
Japan	:	Japan inventory (CSCL): All components are listed or exempted.
		Japan inventory (ISHL): Not determined.
New Zealand	:	All components are listed or exempted.
Philippines	:	All components are listed or exempted.
Republic of Korea	:	All components are listed or exempted.
Taiwan	:	All components are listed or exempted.
Thailand	:	Not determined.
Turkey	:	Not determined.
United States	:	All components are active or exempted.
Viet Nam	:	Not determined.
	:	1 1

## Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	*	1
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

<b>History</b>					
Date of printing	e of printing : 02/08/2025				
Date of issue/Date of revision:02/06/2025Date of previous issue:03/15/2007					
				Version	:
Key to abbreviations	ATE = Acute Toxicity Estimate				
·		BCF = Bioconcentration Factor			
GHS = Globally Harmonized System of Classification and Labellin					
Chemicals					
	IATA = International Air Transport Association				
	IBC = Intermediate Bulk Container				
IMDG = International Maritime Dangerous Goods					
		LogPow = logarithm of the octanol/water partition coefficient			
		MARPOL = International Convention for the Prevention of Pollution From			
Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine					
pollution)					
		UN = United Nations			
16/17					

### CORE™ DB3112 Blue

Version Number 1.3 Revision Date 02/06/2025

# **ÀVIENT**

Page 17 of 17 Print Date 02/08/2025

References

Not available.

:

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.