VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025



Page 1 of 17 Print Date 01/10/2025

SAFETY DATA SHEET

VBX3522 MITSU DARK GRAY

Section 1. Identification			
GHS product identifier	:	VBX3522 MITSU DARK GRAY	
Chemical name	:	Mixture	
CAS number	:	Mixture	
Other means of identification	:	FO20016660	
Product type	:	solid	
Relevant identified uses of the subs	stance	or mixture and uses advised against	
Product use	:	Industrial applications. Plastics.	
Supplier's details	:	AVIENT CORPORATION 33587 Walker Road, Avon Lake, OH 44012	
		1 (440) 930-1000 or 1 (844) 4AVIENT	
Emergency telephone number (with hours of operation)	:	CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).	

Section 2. Hazards identification

This mixture has not been evaluated as a whole for health effects. All ingredients are bound in a PVC polymer matrix and potential for hazardous exposure as shipped is minimal. PVC resin is manufactured from Vinyl Chloride Monomer (VCM). PVC resin manufacturers take special efforts to strip residual VCM from their resins. Residual VCM in the resin is typically below 8.5 ppm. However, VCM is a known carcinogen. The end-user (fabricator) should take necessary precautions (mechanical ventilation, local exhaust, respiratory protection, etc.) to protect employees from exposure to any vapors or dusts that may be released during heating or fabrication. See Sections 8 and 11 for special precautions.After handling, always wash hands thoroughly with soap and water.

OSHA/HCS status	:	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	:	COMBUSTIBLE DUSTS EYE IRRITATION - Category 2B
GHS label elements		
Signal word Hazard statements	:	Warning Causes eye irritation.

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025



Page 2 of 17 Print Date 01/10/2025

May form combustible dust concentrations in air.

Precautionary statements

	:	Not applicable.
Prevention	:	Wash thoroughly after handling.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes.
-		Remove contact lenses, if present and easy to do. Continue rinsing. If
		eye irritation persists: Get medical advice or attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Supplemental label elements	:	Keep container tightly closed.
Hazards not otherwise classified	:	None known.
		Not available.

Section 3. Composition/information on ingredients

Substance/mixture	:	Mixture
Chemical name	:	Mixture
Other means of identification	:	FO20016660

CAS number/other identifiers

Ingredient name	%	CAS number
Diundecyl phthalate	>= 25 - <= 50	3648-20-2
Carbon black	>= 0.3 - <= 1	1333-86-4
Titanium dioxide	> 0 - <= 0.3	13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025

ÀVIENT

Page 3 of	17
Print Date 01/10/20)25

Eye contact	:	Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. If irritation persists, get medical attention.
Inhalation	:	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	:	Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	:	Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Eye contact : Causes eye irritation.	
Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.	ł
Skin contact : No known significant effects or critical hazards.	
Ingestion : No known significant effects or critical hazards.	
Over-exposure signs/symptoms	
Eye contact : Adverse symptoms may include the following: irritation watering redness	
Inhalation : Adverse symptoms may include the following: respiratory tract irritation coughing	
Skin contact : No specific data.	
Ingestion : No specific data.	

ÀVIENT

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025

Page 4 of 17 Print Date 01/10/2025

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician Specific treatments	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. No specific treatment.
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Unsuitable extinguishing media	:	Use dry chemical powder. Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.
Specific hazards arising from the chemical	:	May form explosible dust-air mixture if dispersed.
Hazardous thermal decomposition products	:	May emit Hydrogen Chloride (HCl). Decomposition products may include the following materials: carbon dioxide carbon monoxide halogenated compounds
Special protective actions for fire- fighters	:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire- exposed containers cool.
Special protective equipment for fire-fighters	:	Fire-fighters should wear appropriate protective equipment and self- contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without
		suitable training. Evacuate surrounding areas. Keep unnecessary and
		unprotected personnel from entering. Do not touch or walk through



VBX3522 MITSU DARK GRAY

Version Number 1.10					
Revision Date	01/02/2025				

	Page 5 of 17
Print	Date 01/10/2025

For emergency responders	:	spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containmer	nt ar	nd cleaning up
Small spill	:	Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Avoid dust generation. Using a vacuum with HEPA filter will reduce dust dispersal. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
Large spill	:	Move containers from spill area. Use spark-proof tools and explosion- proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures:Put on appropriate personal protective equipment (see Section 8). Do
not ingest. Avoid contact with eyes, skin and clothing. Avoid
breathing dust. Avoid the creation of dust when handling and avoid all
possible sources of ignition (spark or flame). Prevent dust
accumulation. Use only with adequate ventilation. Wear appropriate
respirator when ventilation is inadequate. Keep in the original
container or an approved alternative made from a compatible material,
kept tightly closed when not in use. Electrical equipment and lighting
should be protected to appropriate standards to prevent dust coming
into contact with hot surfaces, sparks or other ignition sources. Take
precautionary measures against electrostatic discharges. To avoid fire
or explosion, dissipate static electricity during transfer by grounding
and bonding containers and equipment before transferring material.

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025

ÀVIENT

Page 6 of 17 Print Date 01/10/2025

Advice on general occupational hygiene	:	Empty containers retain product residue and can be hazardous. Do not reuse container. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities		Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits			
Diundecyl phthalate	None.			
Carbon black	OSHA PEL 1989 (1989-03-01) TWA 3.5 mg/m3 OSHA PEL (1993-06-30) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 3.5 mg/m3 NIOSH REL (1994-06-01) TWA 0.1 mgPAH/m ³ ACGIH TLV (2010-12-06) TWA 3 mg/m3 Form: Inhalable fraction			
Titanium dioxide	OSHA PEL 1989 (1989-03-01) TWA 10 mg/m3 Form: Total dust OSHA PEL (1993-06-30) TWA 15 mg/m3 Form: Total dust ACGIH TLV (2022-01-06) TWA 0.2 mg/m3 Form: respirable fraction, nanoscale particles TWA 2.5 mg/m3 Form: respirable fraction, finescale particles			
6/17				

Г

SAFETY DATA SHEET

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025

ÀVIENT

Page 7 of 17 Print Date 01/10/2025

Appropriate engineering controls	:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures		
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles. If operating conditions cause high dust concentrations to be produced, use dust goggles.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
		7/17

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025



Page 8 of 17
Print Date 01/10/2025

Other skin protection Respiratory protection		Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
		Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state Color Odor Odor threshold pH Melting point Boiling point Flash point	:::::::::::::::::::::::::::::::::::::::	solid [Powder.] GREY Not available. Not available. Not available. Not available. Not available. Not applicable.
riash polit	•	Not applicable.
Burning time Burning rate	:	Not available. Not available. Not available.
Evaporation rate Flammability (solid, gas)	:	Not available.
Lower and upper explosive	-	Lower: Not applicable.
(flammable) limits		Upper: Not applicable.
Vapor pressure Vapor density	:	Not available. Not applicable.
Relative density	:	Not available.
Solubility	:	Not available.
Solubility in water	:	Not available.
Partition coefficient: n- octanol/water	:	Not applicable.
Auto-ignition temperature	:	Not applicable.
Decomposition temperature SADT Viscosity	:	Not available. Not available. Dynamic: Not available. Kinematic: Not applicable.

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025

ÀVIENT

Page 9 of 17 Print Date 01/10/2025

Aerosol product

Heat of combustion	:	Not available.
Ignition distance	:	Not available.
Enclosed space ignition - Time	:	Not available.
equivalent		
Enclosed space ignition -	:	Not available.
Deflagration density		NT / 111
Flame height	:	Not available.
Flame duration	:	Not available.

Section 10. Stability and reactivity

Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	:	Stable under recommended storage and handling conditions (see Section 7).
Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	:	Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
Incompatible materials	:	Avoid contact with acetal homopolymers and acetyl homopolymers during processing. Reactive or incompatible with the following materials: oxidizing materials
Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black				
	LD50 Oral	Rat	15,400 mg/kg	-
Titanium oxide (TiO2)		•		
	LC50 Inhalation Dusts and mists	Rat - Male	6.82 Mg/l	4 h

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025

AVIENT

Page 10 of 17 Print Date 01/10/2025

	LD50 Dermal	Rab	bit	> 5	5,000 mg/kg	-
Conclusion/Summary	: Mi	xture.Not	fully tested	d.		
Irritation/Corrosion						
Product/ingredient name	Result		Species	Score	Exposu	re Observation
1,2-Benzenedicarboxylic acid, 1,2-diundecyl ester	Eyes - Mild irr	itant	Rabbit	-		-
Conclusion/Summary Skin	: M	ixture Not	fully teste	d		
Eyes			fully teste			
Respiratory	: M	ixture.Not	fully teste	ed.		
Sensitization						
Conclusion/Summary						
Skin			fully teste			
Respiratory	: M	ixture.Not	fully teste	ed.		
<u>Mutagenicity</u>						
Conclusion/Summary	: M	ixture.Not	fully teste	ed.		
Carcinogenicity						
Conclusion/Summary	: M	ixture.Not	fully teste	ed.		
Classification						
Product/ingredient name	OSHA	IARC	N	ТР		
Carbon black	-	2B	-			
Titanium oxide (TiO2)	-	2B	-			
<u>Reproductive toxicity</u>						
Conclusion/Summary	: M	ixture.Not	fully teste	ed.		
Teratogenicity						
Conclusion/Summary	: M	ixture.Not	fully teste	ed.		
Specific target organ toxicity Not available.	(single exposur	<u>e)</u>				
Specific target organ toxicity	(repeated expo					
		10	0/17			

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025

AVIENT

Page 11 of 17 Print Date 01/10/2025

Not available. Aspiration hazard Not available. Information on the likely routes of Not available. exposure Potential acute health effects **Eve contact** Causes eye irritation. : Inhalation Exposure to airborne concentrations above statutory or recommended : exposure limits may cause irritation of the nose, throat and lungs. No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion • Symptoms related to the physical, chemical and toxicological characteristics Adverse symptoms may include the following: irritation, watering, Eye contact : redness Inhalation Adverse symptoms may include the following: respiratory tract : irritation, coughing Skin contact No specific data. : No specific data. Ingestion Delayed and immediate effects and also chronic effects from short and long term exposure Short term exposure Not available. **Potential immediate effects** : **Potential delayed effects** Not available. • Long term exposure **Potential immediate effects** Not available. : **Potential delayed effects** Not available. • Potential chronic health effects **Conclusion/Summary** Mixture.Not fully tested. : Repeated or prolonged inhalation of dust may lead to chronic General : respiratory irritation. No known significant effects or critical hazards. Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : Teratogenicity : No known significant effects or critical hazards. No known significant effects or critical hazards. **Developmental effects** :

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025

ÀVIENT

Page 12 of 17 Print Date 01/10/2025

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
1,2-Benzenedicarboxylic acid,	1,2-diundecyl ester		
	Acute EC50 12 Mg/l Fresh water	Daphnia - Daphnia magna	48 h
	Chronic NOEC 0.3 Mg/l Fresh	Fish - Oncorhynchus mykiss	155 d
	water		
	Chronic NOEC 0.059 Mg/l Fresh	Daphnia - Daphnia magna	21 d
	water		
Carbon black			
	Acute EC50 37.563 Mg/l Fresh	Daphnia - Daphnia magna	48 h
	water		
Titanium oxide (TiO2)			
	Acute LC50 > 1,000 Mg/l	Fish - Fundulus heteroclitus	96 h
	Marine water		
	Acute LC50 3 Mg/l Fresh water	Crustaceans - Ceriodaphnia	48 h
		dubia	
	Acute LC50 6.5 Mg/l Fresh	Daphnia - Daphnia pulex	48 h
	water		

Conclusion/Summary

: Not available.

:

Persistence and degradability

Conclusion/Summary

Not available.

Bioaccumulative potential

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025



Page 13 of 17
Print Date 01/10/2025

Not available.

<u>Mobility in soil</u>		
Soil/water partition coefficient (KOC)	:	Not available.
Other adverse effects	:	No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods The generation of waste should be avoided or minimized wherever : possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

United States - RCRA Acute hazardous waste "P" List: Not listed

United States - RCRA Toxic hazardous waste "U" List: Not listed

Section 14. Transport information

U.S.DOT 49CFR Ground/Air/Water	:	Not regulated for transportation.
International Air ICAO/IATA	:	Consult mode specific transport rules
International Water IMO/IMDG	:	Consult mode specific transport rules

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025

ÀVIENT

Page 14 of 17 Print Date 01/10/2025

Section 15. Regulatory information

U.S. Federal regulations	:	 United States - TSCA 12(b) - Chemical export notification: None of the components are listed. United States - TSCA 4(a) - Final Test Rules: Not listed United States - TSCA 4(a) - ITC Priority list: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 4(a) - Priority risk review: Not listed United States - TSCA 4(a) - Proposed test rules: Not listed United States - TSCA 5(a)2 - Final significant new use rules: Not listed United States - TSCA 5(a)2 - Proposed significant new use rules: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 5(e) - Substances consent order: Not listed United States - TSCA 5(a) - Chemical risk management: Not listed United States - TSCA 8(a) - Chemical risk rules: Not listed United States - TSCA 8(a) - Chemical Data Reporting (CDR): Not determined United States - TSCA 8(a) - Preliminary assessment report (PAIR): Listed Quinacridone (C.I. Pigment Violet 19) United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - TSCA 8(d) - Health and safety studies: Not listed United States - EPA Clean water act (CWA) section 311 - Hazardous substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Flammable substances: Not listed United States - EPA Clean air act (CAA) section 112 - Accidental release prevention - Toxic substances: Not listed United States - Department of commerce - Precursor chemical: Not listed
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs)	:	Listed
Clean Air Act Section 602 Class I Substances	:	Not listed
Clean Air Act Section 602 Class II Substances	:	Not listed

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025



Page 15 of 17 Print Date 01/10/2025

DEA List I Chemicals (Precursor Not listed : **Chemicals**) DEA List II Chemicals (Essential Not listed : Chemicals)

US. EPA CERCLA Hazardous Substances (40 CFR 302)

not applicable

SARA 311/312

Classification

COMBUSTIBLE DUSTS : EYE IRRITATION - Category 2B

Composition/information on ingredients

Name	%	Classification
Ethene, chloro-,	>= 50 - <= 75	COMBUSTIBLE DUSTS
homopolymer		
1,2-Benzenedicarboxylic	>= 25 - <= 50	EYE IRRITATION - Category 2B
acid, 1,2-diundecyl ester		
Carbon black	>= 0.3 - <= 1	CARCINOGENICITY - Category 2
Titanium oxide (TiO2)	> 0 - <= 0.3	CARCINOGENICITY - Category 2

Not applicable.

State regulations		
Massachusetts	:	None of the components are listed.
New York	:	None of the components are listed.
New Jersey	:	The following components are listed: Ethene, chloro-, homopolymer Carbon black
Pennsylvania	:	None of the components are listed.
<u>California Prop. 65</u>		-

WARNING: This product can expose you to chemicals including Carbon black, which are known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
Carbon black	-	-
Titanium dioxide	-	-

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025



Page 16 of 17 Print Date 01/10/2025

United States inventory (TSCA 8b)	:	All components are active or exempted.		
Canada inventory	:	All components are listed or exempted.		
International regulations Inventory list				
Australia	:	Not determined.		
Canada	:	All components are listed or exempted.		
China	:	Not determined.		
Eurasian Economic Union	:	Russian Federation inventory: Not determined.		
Japan	: Japan inventory (CSCL): Not determined			
		Japan inventory (ISHL): Not determined.		
New Zealand	:	Not determined.		
Philippines	:	Not determined.		
Republic of Korea	:	Not determined.		
Taiwan	:	Not determined.Not determined.		
Thailand	:	Not determined.		
Turkey	:	Not determined.		
United States	:	All components are active or exempted.		
Viet Nam	:	Not determined.		

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	1
Flammability		3
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual. History

History		
Date of printing	:	01/10/2025
Date of issue/Date of revision	:	01/02/2025
Date of previous issue	:	06/24/2021
Version	:	1.10
Key to abbreviations	:	ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor

VBX3522 MITSU DARK GRAY

Version Number 1.10 Revision Date 01/02/2025



Page 17 of 17 Print Date 01/10/2025

GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations Not available.

References

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.